CHAPTER 6

LITERATURE CITED

NEXT HOME

Literature Cited

- Aisenbrey, A.J., Jr., Hayes, R.B., Warren, H.J., Winsett, D.L., Young, R.B. 1987. Design of Small Canal Structures. United States Department of Interior, Bureau of Reclamation Revised Reprint 1978, Reprinted 1987. 435 pp.
- Bailey, E.H., and D.A. Phoenix. 1944. Quicksilver deposits in Nevada. University of Nevada Bulletin 38:12-46.
- Bailey, V. 1898. Physiography, Nevada: Carson Lake Valley (Wadsworth, Ragtown, and Stillwater). Hand written notes, 8 May 1898. Smithsonian Inst. Arch., Record Unit 7176, U.S.
- Beal, R.S. 1984. A new sand-dune-inhabiting Novelis (Coleoptera:Dermestidae) from California to Nevada. *In* Proceedings of the Entomological Society of Washington 86:630-634.
- Birge, W.J., and J.A. Black. 1977. Sensitivity of vertebrate embryos to boron compounds. U.S. Environmental Protection Agency. EPA-560/1-76-008.
- Birge, W.J., and A.G. Westerman, and J.E. Hudson. 1979. The effect of mercury on reproduction of fish and amphibians. Pages 629-655 *in* J.O. Nriagu (ed.) The biogeochemistry of mercury in the environment. Elsevier/North Holland Biomedical Press, New York.
- Bowman, T. 1989. 1988 duck nesting study, Stillwater Wildlife Management Area. Unpubl. Report on file at Stillwater NWR, Fallon, NV. 15 pp plus appendix.
- Brooks, Sheilagh T., Michele B. Haldeman, and Richard H. Brooks. 1988 Osteological analyses of the Stillwater skeletal series: Stillwater Marsh, Churchill County, Nevada. U.S. Fish and Wildlife Service Cultural Resource Series, No. 1, Portland, OR.
- Brown, S., C. Hickey, B. Herrington, and R. Gill, eds. 2001. United States Shorebird Conservation Plan. 2nd Ed. Manomet Center for Conservation Sciences, Manomet, MA
- Buchanan, C. C. 1987. Pyramid Lake inflow required for cui-ui and Lahontan cutthroat trout. Unpublished report. U.S. Fish and Wildlife Service, Reno, Nevada.
- Bundy, R. M. 1996. Invertebrate resources of the Lahontan Valley wetlands. Report prepared for U.S. Fish and Wildlife Service, Stillwater NWR. 25 pp.
- Bundy, R. M. 1997a. Historic distribution of aquatic invertebrates. Report prepared for U.S. Fish and Wildlife Service, Stillwater NWR, Churchill County, Nevada.

Stillwater NWR Complex CCP and Boundary Revision
Final EIS
Ch. 6 Pg. 1

Chapter 6 Literature Cited

- Bundy, R. M. 1997b. Benthic invertebrate resources among Lahontan Valley wetlands. Report prepared for U.S. Fish and Wildlife Service, Stillwater NWR, Churchill County, Nevada.
- Bundy, R.M. 2000. An analysis of Stillwater NWR waterfowl use data, 1970-present. Appendix E (58 pp) of the Draft Environmental Impact Statement for the Stillwater NWR. Vol. II. U.S. Fish and Wildlife Service. Region 1, Portland Oregon.
- Bundy, R.M. and W.G. Henry. 1997. Waterbird production at Stillwater National Wildlife Refuge, 1997. Unpublished report on file at Stillwater NWR. 26 pp.
- Bundy, R.M., J.V. Baumgartner, M.S. Reid, P.S. Bourgeron, H.C. Humphries, and B.L. Donohue. 1996. Ecological Classification of Wetland Plant Associations in the Lahontan Valley, Nevada. Churchill County, NV. 54 pp.
- Burkhardt, J. W. 1996. Herbivory in the Intermountain West: an overview of evolutionary history, historic cultural impacts, and lessons learned from the past. Stat. Bull. 58. Idaho For., Wildl., and Range Exp. Stat., Univ. of Idaho, Moscow.
- Chaney, A. J. 2000. Public use study at Stillwater National Wildlife Refuge during the 1999-2000 waterfowl hunting season. Draft. February 14, 2000, Stillwater National Wildlife Refuge, Fallon, NV. 12 pp.
- Charlet, D.A., S.D. Livingston, H. Powell, R. Bamford, T. Wade, M.M. Peacock, C.R. Tracy, and M. Rahn. 1998. Floral and faunal survey of the Stillwater National Wildlife Refuge, Stillwater Wildlife Management Area, and Fallon National Wildlife Refuge: Lahontan Valley and Carson Sink, Churchill County Nevada. University of Nevada, Reno, NV. 74 pp.
- Churchill County. 1995. Churchill County 1990 Master Plan Update #1. Churchill County Planning Department, Fallon, NV.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. Laroe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service report FWS/OB-79/31, Washington, D.C. 103 pp.
- DeLong, Don C. 1996. Defining biodiversity. Wildlife Society Bulletin 1996, 24(4): 738-749.
- DeLong, Don C. 1997. Estimated natural hydrology of the Carson Desert wetland Ecosystem, West-Central Nevada (Draft). U.S. Fish and Wildlife Service. Fallon, NV. July 1997. 20 pp plus appendices.
- DeQuille, D. 1963. Washoe Rambles. Westernlore Press, Los Angeles, CA.

- Dollarhide, W.E. 1975. Soil Survey of Fallon-Fernley area, Nevada. U.S. Dept of Agriculture, Soil Conservation Service, Reno, NV.
- Donohue, B.L. and J.V. Baumgartner. 1995. An ecological classification of plant associations in the Lahontan Valley, Nevada. Report prepared for the U.S. Fish and Wildlife Service, Stillwater National Wildlife Refuge. 39 pp.
- Drews, M.P. 1988. Freshwater Mollusks. Pages 328-339 In C. Raven and R.G. Elston (eds) Preliminary Investigations in Stillwater Marsh: Human Prehistory and Geoarchaeology, Volume 1. Cultural Resources Series Number 1, U.S. Dept of the Interior, U.S. Fish and Wildlife Service, Region 1, Portland, OR.
- Eisler, R. 1997. Copper hazards to fish, wildlife, and invertebrates: A synoptic review. U.S. Geological Survey, Biological Resource Division, Biological Science Report USGS/BRD/BSR-1997-0002.
- Englin, Jeffrey, Netusil Noelwah, Hilger, James, Hall, Jonathan Hall, McDonald Jered, and Wieseke Nicola. 1999. Non-market values associated with the Stillwater National Wildlife Refuge. Prepared for the United States Department of the Interior, Truckee-Carson Coordination Office, Carson City, Nevada 89701. 75 pp.
- Evans, C. 1983. Stillwater Wildlife Management Area, Fallon, Nevada: Waterfowl nesting at Stillwater Marsh in relation to predation and habitat factors affecting nest site selection. Unpubl. Report on file At Stillwater NWR, Fallon, NV. 44 pp plus appendices.
- Fredrickson, L.H. and T.S. Taylor. 1982. Management of seasonally flooded impoundments for wildlife. U.S. Fish and Wildlife Service Resour. Pub. 148. 29 pp.
- Fowler, C.S. 1992. In the Shadow of Fox Peak. Cultural Resource Series Number 5, U.S. Government Print. Off., Washington D.C. 264 pp.
- Giles, L.W. 1953. Loss of cattail and bulrush in the Stillwater Marsh outside the Nutgrass Unit. Special report, U.S. Department of the Interior, Fish and Wildlife Service, Fallon NV.
- Glancy, P. and T.L. Katzer. 1975 Water resources appraisal of the Carson River Basin, western Nevada. Nevada Department of Conservation and Natural Resources, Division of Water Resources, Water Resources Reconnaissance Report 59. 126 pp.
- Grayson, D.K. 1985. The paleontology of hidden cave: birds and mammals. 125-161 In D.H. Thomas (ed.) The Archaeology of Hidden Cave, Nevada. Anthropological Papers of the American Museum of Natural History, Volume 61.

- Greenspan, R.L. 1988. Fish Remains. Pages 312-327 In C. Raven and R.G. Elston (eds)
 Preliminary Investigations in Stillwater Marsh: Human Prehistory and Geoarchaeology,
 Volume 1. Cultural Resources Series Number 1, U.S. Dept of the Interior, U.S. Fish and
 Wildlife Service, Region 1, Portland, OR.
- Hallock, R.J. and L.L. Hallock, eds. 1993. Detailed study of irrigation drainage in and near wildlife management areas, west-central Nevada, 1987-90. Part B. Effect on biota in Stillwater and Fernley wildlife management areas and other nearby wetlands. U.S. Geological Survey Water Resources Investigations Report 92-4024B. U.S. Geological Survey Professional Paper 1409-H, U.S. Government Printing Office, Washington D.C.
- Hallock, R.J., H.L. Burge, and P.L. Tuttle. 1993. Biological pathways Movement of selenium and mercury. Pages 39-53 *in* R.J. Hallock and L.L. Hallock (eds.), Detailed study of irrigation drainage in and near wildlife management areas, west-central Nevada, 1987-90, Part B-Effect on biota in Stillwater and Fernley Wildlife Management Areas and other nearby wetlands. U.S. Geological Survey Water-Resources Investigations Report 92-4024B.
- Herlan, P.J. 1971. A new subspecies of Limenitis archippus (Nymphalidae). J. on Research of Lepidoptera 9:217-222. Herlan, P.J. 1971. A new subspecies of Limenitis archippus (Nymphalidae). J. on Research of Lepidoptera 9:217-222.
- Hoffman, R.J.. 1994. Detailed study of drainage in and near wildlife management areas, West-Central Nevada, 1987-1990. U.S. Geological Survey Water Resources Investigations Report 92-4024C. U.S. Geological Survey, Water Resources Division, Carson City, Nevada.
- Hoffman, R.J., R.J. Hallock, T.G. Rowe, M.S. Lico, H.L. Burge, and S.P. Thompson. 1990. Reconnaissance investigation of water quality, bottom sediment, and biota associated with irrigation drainage in and near Stillwater Wildlife Management Area, Churchill County, Nevada, 1986-87. U.S. Geological Survey Water-Resources Investigations Report 89-4105, 150 pp.
- Intermountain West Joint Venture. 1995. Intermountain West Joint Venture: Implementation Plan. A component of The North American Waterfowl Management Plan. 24 pp plus appendices.
- Kadlec, J.A. and L.M. Smith. 1989. Great basin marshes. Pages 451-474 in L.M. Smith, R.L. Pederson, and R.M. Kaminski (eds.). Habitat Management for migrating and wintering waterfowl. Texas Tech Univ. Press, Lubbock, TX. 56 pp.

- Kerley, L.L., G.A. Ekechukwu, and R.J. Hallock. 1993. Estimated historical conditions of the lower Carson River wetlands. *In* Detailed Study of Irrigation Drainage in and Near Wildlife Management Areas, West-Central Nevada, 1987-90. Part B. Effect on Biota in Stillwater and Fernley Wildlife Management Areas and Other Nearby Wetlands. U.S. Geological Survey Water Resources Division, Carson City NV.
- Larsen, C.S., and R. L. Kelly. 1995. Bioarchaeology of the stillwater marsh: prehistoric human adaptation in the western great basin. Anthropological Papers of the American Museum of Natural History, New York.
- Lico, M.S. 1992. Detailed study of irrigation drainage in and near wildlife management areas, west-central Nevada, 1987-90. Part A. Water Quality, sediment composition and hydrogeochemical processed in Stillwater and Fernley Wildlife Management Areas. U.S. Geological Survey Water Resources Investigations Report 92-4024A. U.S. Geological Survey, Water Resources Division, Carson City, Nevada.
- Lico, M.S., and R.N. Pennington. 1997. Concentrations, loads, and yields of potentially toxic constituents in irrigation-drain systems, Newlands Project area, Carson Desert, Nevada, November 1994-October 1995. U.S. Geological Survey Water-Resources Investigations Report 97-4034, 58 pp.
- Liddle, M.J. 1975. Selective review of the ecological effects of human trampling on natural ecosystems. Biol. Cons. 7:17-36.
- Liddle, M. J., and H. R. A. Scorgie. 1980. The effects of recreation on freshwater plants and animals: a review. *Biological Conservation* 17: 183-206.
- Livingston, S.D. 1988. Avian Fauna. Pages 292-311 In C. Raven and R.G. Elston (eds)
 Preliminary Investigations in Stillwater Marsh: Human Prehistory and Geoarchaeology,
 Volume 1. Cultural Resources Series Number 1, U.S. Dept of the Interior, U.S. Fish and
 Wildlife Service, Region 1, Portland, OR.
- Lonsdale, W.M. and A.M. Lane. 1993. Tourist vehicles as vectors of weed seeds in Kakadu National Park, northern Australia. Biol. Cons. 69:277-283.
- MacDiarmid, T.R., K.A. MacArthur, M.E. Reid, and R. Narayanan. 1994a. An economic description of the agricultural sector in Lyon County. University Center for Economic Development Technical Report UCED 93-14. University of Nevada, Reno, Nevada.
- MacDiarmid, T.R., K.A. MacArthur, M.E. Reid, T.R. Harris, and R. Narayanan. 1994b. An economic description of the agricultural sector in Churchill County. University Center for Economic Development Technical Report UCED 93-05. University of Nevada, Reno, Nevada.

- Mack, R.N. 1986. Alien plant invasion into the intermountain west: a case history. Pages 191-213 In H.A. Mooney and J.A. Drake (eds.) Biology of Biological Invasions of North America and Hawaii. Ecological Studies, Open File Report 93-463, Carson City, Nevada.
- Manomet Center for Conservation Sciences. 2000. Shorebird Plan and Introduction and Background. Manomet, MA
- Marshall, D.B. 1949. Stillwater Wildlife management Area, Churchill County, Nevada: A biological investigation of the Stillwater Wildlife Management Area, June 7, 1949 to September 16, 1949. U.S. Department of the Interior, Fish and Wildlife Service, Fallon, NV. 50 pp.
- Marshal, D.B. 1952. Habitat types of the Stillwater Marsh and their value to nesting ducks with reference to future management. 29 pp.
- Maurer, D.K., A.K. Johnson, and A.H. Welch. 1994. Hydrogeology and potential effects of change in water use, Carson Desert agricultural area, Churchill County, Nevada. U.S. Geol. Surv., Government Print. Off., Washington, D.C. 287 pp.
- Mitsch, W.J. and J.G. Gosselink. 1992. Wetlands. Van Nostrand Reinhold Company, New York.
- Morton, J. M. 1995. Management of human disturbance and its effects on waterfowl. Pages F59-F86 IN W. R. Whitman, T. Strange, L. Widjeskog, R. Whittemore, P. Kehoe, and L. Roberts. (eds.). Waterfowl habitat restoration, enhancement and management in the Atlantic Flyway. Third Ed. Environmental Manage. Comm., Atlantic Flyway Council Techn. Sect., and Delaware Div. Fish and Wildl., Dover, D.E. 1114 pp.
- Napier, L.D. 1970. Report of wildlife management study. Duck nesting success on the Stillwater marsh. Unpubl report on file at Stillwater NWR, Fallon, NV. 16 pp.
- National Fish and Wildlife Foundation. 2001. Directory of birding and nature festivals. Washington. D.C. 70 pp.
- Neel, L., ed. 1999. Nevada Partners in Flight Bird conservation plan. 335 pp plus appendices.
- Nevada Chapter of The Wildlife Society. 1995. Wildlife/livestock relations on rangelands in the Great Basin: a position statement by the Nevada Chapter-The Wildlife Society. 10 pp.
- Nevada Division of Water Planning. 1999. Churchill County socioeconomic overview: An overview of historic geographic, hydrologic, water use, and socioeconomic trends and conditions for use in the Nevada State Water Plan. Carson City, Nevada

- Nevada State Board of Fish and Game Commissioners and the U.S. Fish and Wildlife Service. 1960. Working agreement between state board of fish and game commissioners State of Nevada and the Bureau of Sport Fisheries and Wildlife, U.S. Fish and Wildlife Service. 2 pp.
- Oring, L. and L. Neel. 1999. National Shorebird Conservation Plan. Intermountain West Flyway Section. Manomet Center for Conservation Sciences, Manomet, MA. In prep.
- Parsons, D, D. Graber, J. Agee, and J. van Wagtendon. 1986. Natural fire management in national parks. Environmental Management 10: 21-24.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross, and R.M. Hughes. 1989. Rapid bioassessment protocols for use in streams and rivers-macroinvertebrates and fishes. U.S. Environmental Protection Agency, Report EPA 444/4-89-001, eight numbered sections plus appendices.
- Purdy, K. G., G. R. Goft, D. J. Decker, G. A. Pomerantz, and N. A. Connelly. 1987. "A guide to managing human activity on National Wildlife Refuges." U.S. Fish and Wildlife Service, Ft. Collins, CO.
- Rahn, M. 1998. Preliminary inventory and analysis of bat species (Chiroptera) in the Stillwater National Wildlife Refuge/Stillwater Wildlife Management Area, Nevada. University of Nevada, Reno, NV. 16 pp.
- Raven, C. 1990. Prehistoric human geography in the Carson Desert. Part II: Archaeological field tests of model predictions. U.S. Fish and Wildlife Service, Cultural Resource Series, No. 4. Portland, OR.
- Raven, C. and R.G. Elston. 1988. Preliminary Investigations in Stillwater Marsh: Human Prehistory and Geoarchaeology, Volume 1. Cultural Resources Series Number 1, U.S. Dept of the Interior, U.S. Fish and Wildlife Service, Region 1, Portland, OR.
- Raven C. and R. Elston. 1989. Prehistoric human geography in the Carson Desert. Part I: A predictive model of land-use in the Stillwater Wildlife Management Area. Prepared for: U.S. Fish and Wildlife Service, Portland, Oregon. 183 pp + appendix.
- Raymond, A.W. and V. M. Parks. 1989. The surface archaeology of Stillwater Marsh, Churchill County Nevada. Report on file at US Fish and Wildlife Service, Region 1 Portland, OR.
- Raymond, A.W. and V. M. Parks. 1990. Archaeological sites exposed by recent flooding of Stillwater Marsh, Carson desert, Nevada. In Wetland adaptations in the Great Basin, edited by J.C. Janetski and D.B. Madsen, 33-61. Brigham Young University Museum of Peoples and Cultures Occasional Papers no. 1. Provo, Utah.

- Robel, R.J. 1961. The effects of carp populations on the production of waterfowl food plants on a western waterfowl marsh. Trans. N. Am. Wildl. And Nat. Resour. Conf. 26:147-159.
- Russell, I.S. 1885. Geologic history of Lake Lahontan: a quaternary lake of northwestern Nevada. U.S. Geol. Surv., Government Print. Off., Washington, D.C. 287 pp.
- Russo, R.C. 1985. Ammonia, nitrite, and nitrate. Pages 455-474 in G.M. Rand and S.M. Petrocelli (eds.). Fundamentals of aquatic toxicology. Taylor and Francis, Bristol, Pennsylvania.
- Rust, R.M. 1998. Preliminary inventory of sand obligate beetles (Coleoptera) of the Stillwater National Wildlife Refuge. University of Nevada, Reno, NV. 28 pp.
- Santy, Kari. 1999. Public use study at Stillwater National Wildlife Refuge during the 1998-99 waterfowl hunting season. January 22, 1999. Stillwater National Wildlife Refuge. Fallon, NV. 16 pp.
- Schmitt, D.L. 1988. Mammalian Fauna. Pages 262-291 In C. Raven and R.G. Elston (eds)
 Preliminary Investigations in Stillwater Marsh: Human Prehistory and Geoarchaeology,
 Volume 1. Cultural Resources Series Number 1, U.S. Dept of the Interior, U.S. Fish and
 Wildlife Service, Region 1, Portland, OR.
- Seiler, R.L. 1995. Prediction of areas where irrigation drainage may induce selenium contamination in water. Journal of Environmental Quality 24:973-979.
- Simpson, J.H. 1876. Report of explorations across the Great Basin of the Territory of Utah for a direct wagon route from Camp Floyd to Genoa, in Carson Valley, 1859. U.S. Army, Engineer Dept., Washington D.C. Reprinted by Univ. Nevada Press, Reno, NV, 1983
- Skorupa, J.P. 1998. Selenium. Pages 139-184. *In* Guidelines for interpretation of the biological effects of selected constituents in biota, water, and sediment, National Irrigation Water Quality Program Information Report No. 3, 198 pp plus appendices.
- Smith, G.H. 1943. The history of the Comstock, 1850-1920: University of Nevada Bulletin 37:41-47.
- Spence, M.L. and D. Jackson (eds.). 1973. The expeditions of John Charles Fremont. Vol. 2, Supplement, proceedings of the court martial. Univ. Illinois Press, Urbana, IL.
- Sperry, C.C. 1929. Report on Carson Sink (Churchill Co.,) Nevada: Its duck food resources and value as a federal migratory bird refuge site. Unpublished report, Smithsonian Institute Archives, Washington, D.C. 3 pp.

- Schwarzbach, S. 1998. Mercury. Pages 91-114 *in* Guidelines for interpretation of the biological effects of selected constituents in biota, water, and sediment, National Irrigation Water Quality Program Information Report No. 3, 198 pp plus appendices.
- Swanson, G.A., G.L. Krapu, and J.R. Serie. 1979. Foods of laying female dabbling ducks on the breeding grounds. Pages 47-58 In T.A. Bookhout (ed.) Waterfowl and Wetlands An Integrated Review. La Crosse Printing Co., Inc. La Crosse, WI. 147 pp.
- Thomas, David Hurst, ed. 1985. The archaeology of hidden cave, Nevada. Anthropological Papers of the American Museum of Natural History, 61(1):1-430. New York.
- Tuttle, P.L., C.A. Janik, and S.N. Wiemeyer. 1996. Stillwater National Wildlife Refuge wetland contaminant monitoring. U.S. Fish and Wildlife Service, Reno, Nevada, 67 pp plus appendix.
- Tuttle, P., D. Higgins, J. Quashnick, and W. Praskins. 2001. Mercury characterization in Lahontan Valley wetlands, Carson River Mercury Site, Lyon and Churchill Counties, Nevada, 1999. Draft Report. U.S. Fish and Wildlife Service, Reno, Nevada.
- Tuohy, D. R., A. J. Dansie, ands M. B. Haldeman. 1987. Final Report on excavations in the Stillwater Marsh Archaeological District, Nevada. Nevada State Museum Department of Anthropology Archaeological Services Report to the US Fish and Wildlife Service, Portland, Oregon.
- U.S. Bureau of Reclamation. 1992. Vegetation management study, lower Colorado River, Phase I Rept. Lower Colorado Regional Office, USBOR, Boulder City, NV. 103 pp plus maps.
- U.S. Bureau of Reclamation. 1997a. Adjustments to 1988 operating criteria and procedures (OCAP) for the Newlands Irrigation Project in Nevada. Final Rule. Federal Register, Vol. 61, No. 237, 64815-64958.
- U.S. Bureau of Reclamation. 1997b. Emergency Release criteria for Lahontan Reservoir. November, 1997. David P. Overvold, Acting Area Manager, Carson City, NV.
- U.S. Bureau of Reclamation. 2000. Extension of the Tripartite Agreement, Newlands Project, Nevada. March 2000. Kim Hanson, Project Leader, Stillwater NWR. 2 pp.
- U.S. Department of the Interior. 1997. Environmental Assessment: Adjusted 1988 Newlands Project Operating Criteria and Procedures, Churchill and Lyon Counties, NV.
- U.S. Department of the Interior and State of California. 1998. Draft Environmental Impact Statement/Environmental Impact Report: Truckee River Operating Agreement.

- U.S. Department of the Interior, Fish and Wildlife Service and U.S. Department of Commerce, Bureau of the Census. 1996. National Survey of fishing, hunting and wildlife-associated recreation. 115 pp.
- U.S. Environmental Protection Agency. 1985a. Ambient water quality criteria for arsenic-1984. U.S. Environmental Protection Agency, Report EPA 440/5-84-033, 66 pp.
- U.S. Environmental Protection Agency. 1985b. Ambient water quality criteria for lead-1984. U.S. Environmental Protection Agency, Report EPA 440/5-84-027, 151 pp.
- U.S. Environmental Protection Agency. 1987. Ambient water quality criteria for zinc-1987. U.S. Environmental Protection Agency, Report EPA 440/5-87-003, 158 pp.
- U.S. Fish and Wildlife Service. 1950. Narrative report: Stillwater Wildlife Management Area. Unpublished report on file at Stillwater NWR, Fallon, NV.
- U.S. Fish and Wildlife Service. 1952. Narrative report: Stillwater Wildlife Management Area, January-April, 1952. Unpublished report on file at Stillwater NWR, Fallon, NV.
- U.S. Fish and Wildlife Service. 1960. Stillwater Wildlife Management Area and Fallon National Wildlife Refuge Hunting and Fishing Plan. Signed by Refuge Manager George L. Wiseman.
- U.S. Fish and Wildlife Service. 1987. Management Plan for the Stillwater Wildlife Management Area. Fallon, Nevada.
- U.S. Fish and Wildlife Service. 1991. Environmental Assessment: Acquisition of water rights for Stillwater National Wildlife Refuge, Churchill County, Nevada.
- U.S. Fish and Wildlife Service. 1992. Cui-ui (Chasmistes cujus) Second Revision Recovery Plan. Region 1, Portland Oregon. 47 pp.
- U.S. Fish and Wildlife Service. 1995a. Draft Environmental Impact Statement for water rights acquisition for Lahontan Valley Wetlands. Portland, Oregon.
- U.S. Fish and Wildlife Service. 1995b. Recovery Plan for the Lahontan Cutthroat Trout. Region 1 Portland, Oregon. Ed. Coffin, Patrick D. and Cowan, William F. 114 pp.
- U.S. Fish and Wildlife Service. 1995c. Concept plan for the Intermountain West Joint Venture. Denver, Colorado.
- U.S. Fish and Wildlife Service. 1996a. Final Environmental Impact Statement: Water Rights Acquisition for Lahontan Valley Wetlands, Churchill County, NV. Portland, Oregon

- U.S. Fish and Wildlife Service. 1996b. Record of Decision for the final environmental impact statement water rights acquisition for Lahontan Valley wetlands, Churchill County, Nevada. Portland, Oregon, six numbered sections plus appendices.
- U.S. Fish and Wildlife Service. 1996c. Final Environmental Assessment for Transfer of Indian Lakes Area to Churchill County, Nevada. 35 pp.
- U.S. Fish and Wildlife Service. 1997. Strategic Plan. September 30, 1997-September 30, 2002. 30 pp plus appendices.
- U.S. Fish and Wildlife Service. 1999. Fulfilling the promise. The National Wildlife Refuge System. 92 pp.
- U.S. Fish and Wildlife Service. 1999b. Directors Priorities Fiscal Year 1999-2000. September 1999. Washington, D.C.
- U.S. Fish and Wildlife Service. 2000. Draft Environmental Impact Statement for the Stillwater National Wildlife Refuge Complex Comprehensive Conservation Plan and Boundary Revision. Portland, Oregon. 2 Volumes.
- U.S. Fish and Wildlife Service. 2000b. Fish and Wildlife Service Manual, Part 602: National Wildlife Refuge Planning. Chapter 3: Comprehensive conservation planning process. Washington, D.C.
- Wallin, David O., Frederick J. Swanson, Barbara Marks, John H. Cissel, and Jane Kertis. 1996. Comparison of managed and pre-settlement landscape dynamics in forests of the Pacific Northwest, USA. Forest Ecology and Management 85. 291-309.
- Weller, M.W. and C.E. Spatcher. 1965. Role of habitat in the distribution and abundance of marsh birds. Iowa State Agric. Home and Econ. Exp. Sta. Spec. Rep. 43. 31 pp.
- Wetzel, R.G. 1975. Limnology. W.B. Saunders Company, Philadelphia, Pennsylvania. 743 pp.
- Wong, P.T.S., Y.K. Chau, O. Kramar, and G.A. Bengert. 1981. Accumulation and depuration of tetramethyllead by rainbow trout. Water Research 15:621-625.
- Woodbury, W.V. 1966. The history and present status of the biota of Anaho Island, Pyramid Lake, Nevada. M.S. Thesis, Univ. of Nevada, Reno.
- Young, J. A. 1994. Historical perspectives and evolutionary perspectives on grazing of Western rangelands. In Ecological implications of livestock herbivory in the West M. W. A. Laycock and R. D. Pieper Vavra, 1-12. Denver, CO: Soc. for Range Manage.

Zeanah, D. W., J. A. Carter, D. P. Dugas, R. G. Elston, and J. E.Hammett. 1995. An Optimal foraging model of hunter-gatherer land use in the Carson Desert. Report in partial fulfillment of US Fish and Wildlife Service contract #14-48-001-93015, prepared for US Fish and Wildlife Service and US. Department of the Navy,. On file at US Fish and Wildlife Service, Portland Oregon.